

H: 400ft/200ft

Capacity: 1000lbs/2000lbs

KEY FEATURES

- Ideal for precision placement of delicate materials
- Confined and hard to reach spaces made easy with a portable hoist
- Variable Frequency Drive allows for smooth acceleration and deceleration of hoist from 10ft per second up to 80ft per minute
- VFD follows Three Phase motor to operate on Single Phase Power
- Pick and place load without re-rigging
- Optional Scaff-Trac Mounting System provides a standardized and complete lifting solution engineered for easy installation every time
- Flexible I-Beam Mounting Option works with and configures to each unique job-site

SAFETY FEATURES

- Water Tight Connectors
- Easy Cable Replacement (Beta Max™ provides camps and crimp)
- Failsafe brake holds the load securely when not lifting or lowering - loads are powered up and down, no free-falling or slipping
- Non-rotating cable helps keeps loads from spinning
- Upper-limit Switch Assembly stops the hoist instantly when activated
- Sturdy Electrical Controller equipped with thermal overload sensing device



INDUSTRIES SERVED

- **Scaffolding • Masonry • Stucco**
- **Glazing • Demolition • Restoration**
- **Construction**

Contact Beta Max today to discuss your project, or get a quote.

www.BetamaxHoist.com

(800) 644-6478

SPECIFICATIONS

Set Up	Single Line	Double Line
Lift Capacity	1,000 lbs	2,000 lbs
Lift Speed	80 fpm	40 fpm
LEO XXL Lift Height	400'	200'
A/C Power	220VAC, 30A, 1 Φ & 208VAC, 30A, 3 Φ	
Horsepower	3.3 HP	
Mounting Options	Scaff-Trac, Trestle Monorail, I-Beam and Fixed I-Beam	


MOUNTING OPTIONS




Scaff-Trac




Trestle Monorail



Fixed I-Beam



I-Beam Trolley



ACCESSORIES

- Block Fork • Scaffold Frame Fork • Equipment Basket
- Dumpster Bucket • Spreader Bar • Mud Tub • Double Rope Kit
- Counterweight Clamp Assembly • Remote Control Extension
- Power Cord Extension • Wireless Dual Control Package • Booster Transformer

Contact Beta Max today to discuss your project, or get a quote.